


R314.3 Location. Smoke detectors shall be installed in the following locations:
 1. In each sleeping room.
 2. Outside each separate sleeping area, within 21 feet of any door to a sleeping room, measured along a path of travel.
 3. On each additional story. (see details)
 4. Not less than 3 feet horizontally from the door or opening of a bathroom that contains a bathtub or shower unless this would prevent placement of a smoke alarm in a location required by Section R314.3.

R315.3 Carbon monoxide alarms shall be located in each bedroom or within 15 feet outside of each bedroom door. Bedrooms on separate floor levels in a structure consisting of two or more stories shall have separate carbon monoxide alarms serving each story. Where a fuel burning appliance is located within a sleeping room or its attached bathroom, a carbon monoxide alarm shall be installed within the bedroom.


M2005.2 Prohibited locations.
 Fuel-fired water heaters shall not be installed in a room used as a storage closet. Water heaters located in a bedroom or bathroom shall be installed in a sealed enclosure so that combustion air will not be taken from the living space. Installation of direct-vent water heaters within an enclosure is not required.

CS-WSP: Wood Structural Panel:
 Min. 3/8 inch: 6d common (2"x0.113") nails at 6" spacing (panel edges) and at 12" spacing (intermediate supports) or 16 ga. x 1-3/4 staples at 3" spacing (panel edges) and 6" spacing (intermediate supports). Per Section R602.10.4 & Table R602.1.4.1



MAIN FLOOR PLAN
 SCALE: 1/4" = 1'-0"


LIVING S.F.: 810




EAST ELEVATION
 SCALE: 1/4" = 1'-0"



SOUTH ELEVATION
 SCALE: 1/4" = 1'-0"



WEST ELEVATION
 SCALE: 1/4" = 1'-0"



NORTH ELEVATION
 SCALE: 1/4" = 1'-0"

SAMPLE ONLY
 Contact the Ashland Community Development
 Dept. for the full set of pre-approved construction
 documents.

DWG INDEX #:	SCALE: 1/4" = 1'-0"	A1:0 FLOOR PLAN-EXT ELEVATIONS	PROJECT OWNER:
CHECKED BY:	CHECKED BY:	PROJECT:	CLIENT:
DATE:	DATE:		
SHEET 3 OF 5			